


DRESSER INDUSTRIES, INC.
 ROOTS DIVISION
 900 WEST MOUNT STREET
 CONNERSVILLE, INDIANA 47331
 PRINTED IN U.S.A.

PERFORMANCE BASED ON
 INLET AIR = 68°F
 DISCHARGE PRESSURE = 30" HG ABS.
 JULY, 1994


VACUUM PERFORMANCE
 FRAME 22 UNIVERSAL RAI BLOWER
 MAXIMUM VACUUM=15 IN. HG
 MAXIMUM SPEED=5275 RPM



DRESSER INDUSTRIES, INC.
 ROOTS DIVISION
 900 WEST MOUNT STREET
 CONNERSVILLE, INDIANA 47331
 PRINTED IN U.S.A.

PERFORMANCE BASED ON
 INLET AIR = 68°F
 DISCHARGE PRESSURE = 30" HG ABS.
 JULY, 1994


VACUUM PERFORMANCE
 FRAME 24 UNIVERSAL RAI BLOWER
 MAXIMUM VACUUM=15 IN. HG
 MAXIMUM SPEED=5275 RPM



DRESSER INDUSTRIES, INC.
 ROOTS DIVISION
 900 WEST MOUNT STREET
 CONNERSVILLE, INDIANA 47331
 PRINTED IN U.S.A.

PERFORMANCE BASED ON
 INLET AIR = 68°F
 DISCHARGE PRESSURE = 30" HG ABS.
 JULY, 1994


VACUUM PERFORMANCE
 FRAME 32 UNIVERSAL RAI BLOWER
 MAXIMUM VACUUM=15 IN. HG
 MAXIMUM SPEED=3600 RPM



DRESSER INDUSTRIES, INC.
 ROOTS DIVISION
 900 WEST MOUNT STREET
 CONNERSVILLE, INDIANA 47331
 PRINTED IN U.S.A.

PERFORMANCE BASED ON
 INLET AIR = 68°F
 DISCHARGE PRESSURE = 30" HG ABS.
 JULY, 1994


VACUUM PERFORMANCE
 FRAME 33 UNIVERSAL RAI BLOWER
 MAXIMUM VACUUM=15 IN. HG
 MAXIMUM SPEED=3600 RPM



DRESSER INDUSTRIES, INC.
 ROOTS DIVISION
 900 WEST MOUNT STREET
 CONNERSVILLE, INDIANA 47331
 PRINTED IN U.S.A.

PERFORMANCE BASED ON
 INLET AIR = 68°F
 DISCHARGE PRESSURE = 30" HG ABS.
 JULY, 1994


VACUUM PERFORMANCE
 FRAME 36 UNIVERSAL RAI BLOWER
 MAXIMUM VACUUM=15 IN. HG
 MAXIMUM SPEED=3600 RPM



DRESSER INDUSTRIES, INC.
 ROOTS DIVISION
 900 WEST MOUNT STREET
 CONNERSVILLE, INDIANA 47331
 PRINTED IN U.S.A.

PERFORMANCE BASED ON
 INLET AIR = 68°F
 DISCHARGE PRESSURE = 30" HG ABS.
 JULY, 1994


VACUUM PERFORMANCE
 FRAME 42 UNIVERSAL RAI BLOWER
 MAXIMUM VACUUM=15 IN. HG
 MAXIMUM SPEED=3600 RPM



DRESSER INDUSTRIES, INC.
 ROOTS DIVISION
 900 WEST MOUNT STREET
 CONNERSVILLE, INDIANA 47331
 PRINTED IN U.S.A.

PERFORMANCE BASED ON
 INLET AIR = 68°F
 DISCHARGE PRESSURE = 30" HG ABS.
 JULY, 1994


VACUUM PERFORMANCE
 FRAME 45 UNIVERSAL RAI BLOWER
 MAXIMUM VACUUM=15 IN. HG
 MAXIMUM SPEED=3600 RPM



DRESSER INDUSTRIES, INC.
 ROOTS DIVISION
 900 WEST MOUNT STREET
 CONNERSVILLE, INDIANA 47331
 PRINTED IN U.S.A.

PERFORMANCE BASED ON
 INLET AIR = 68°F
 DISCHARGE PRESSURE = 30" HG ABS.
 JULY, 1994


VACUUM PERFORMANCE
 FRAME 47 UNIVERSAL RAI BLOWER
 MAXIMUM VACUUM=15 IN. HG
 MAXIMUM SPEED=3600 RPM



DRESSER INDUSTRIES, INC.
 ROOTS DIVISION
 900 WEST MOUNT STREET
 CONNERSVILLE, INDIANA 47331
 PRINTED IN U.S.A.

PERFORMANCE BASED ON
 INLET AIR = 68°F
 DISCHARGE PRESSURE = 30" HG ABS.
 JULY, 1994


VACUUM PERFORMANCE
 FRAME 53 UNIVERSAL RAI BLOWER
 MAXIMUM VACUUM=15 IN. HG
 MAXIMUM SPEED=2850 RPM



DRESSER INDUSTRIES, INC.
 ROOTS DIVISION
 900 WEST MOUNT STREET
 CONNERSVILLE, INDIANA 47331
 PRINTED IN U.S.A.

PERFORMANCE BASED ON
 INLET AIR = 68°F
 DISCHARGE PRESSURE = 30" HG ABS.
 JULY, 1994


VACUUM PERFORMANCE
 FRAME 56 UNIVERSAL RAI BLOWER
 MAXIMUM VACUUM=15 IN. HG
 MAXIMUM SPEED=2850 RPM



DRESSER INDUSTRIES, INC.
ROOTS DIVISION
900 WEST MOUNT STREET
CONNERSVILLE, INDIANA 47331
PRINTED IN U.S.A.

PERFORMANCE BASED ON
INLET AIR = 68°F
DISCHARGE PRESSURE = 30" HG ABS.
JULY, 1994


VACUUM PERFORMANCE
FRAME 59 UNIVERSAL RAI BLOWER
MAXIMUM VACUUM=15 IN. HG
MAXIMUM SPEED=2850 RPM



DRESSER INDUSTRIES, INC.
 ROOTS DIVISION
 900 WEST MOUNT STREET
 CONNERSVILLE, INDIANA 47331
 PRINTED IN U.S.A.

PERFORMANCE BASED ON
 INLET AIR = 68°F
 DISCHARGE PRESSURE = 30" HG ABS.
 JULY, 1994


VACUUM PERFORMANCE
 FRAME 65 UNIVERSAL RAI BLOWER
 MAXIMUM VACUUM=16 IN. HG
 MAXIMUM SPEED=2350 RPM



DRESSER INDUSTRIES, INC.
 ROOTS DIVISION
 900 WEST MOUNT STREET
 CONNERSVILLE, INDIANA 47331
 PRINTED IN U.S.A.

PERFORMANCE BASED ON
 INLET AIR = 68°F
 DISCHARGE PRESSURE = 30" HG ABS.
 JULY, 1994


VACUUM PERFORMANCE
 FRAME 68 UNIVERSAL RAI BLOWER
 MAXIMUM VACUUM=16 IN. HG
 MAXIMUM SPEED=2350 RPM



DRESSER INDUSTRIES, INC.
 ROOTS DIVISION
 900 WEST MOUNT STREET
 CONNERSVILLE, INDIANA 47331
 PRINTED IN U.S.A.

PERFORMANCE BASED ON
 INLET AIR = 68°F
 DISCHARGE PRESSURE = 30" HG ABS.
 JULY, 1994


VACUUM PERFORMANCE
 FRAME 76 UNIVERSAL RAI BLOWER
 MAXIMUM VACUUM=16 IN. HG
 MAXIMUM SPEED=2050 RPM



DRESSER INDUSTRIES, INC.
 ROOTS DIVISION
 900 WEST MOUNT STREET
 CONNERSVILLE, INDIANA 47331
 PRINTED IN U.S.A.

PERFORMANCE BASED ON
 INLET AIR = 68°F
 DISCHARGE PRESSURE = 30" HG ABS.
 JULY, 1994


VACUUM PERFORMANCE
 FRAME 615 UNIVERSAL RAI BLOWER
 MAXIMUM VACUUM=12 IN. HG
 MAXIMUM SPEED=2350 RPM



DRESSER INDUSTRIES, INC.
 ROOTS DIVISION
 900 WEST MOUNT STREET
 CONNERSVILLE, INDIANA 47331
 PRINTED IN U.S.A.

PERFORMANCE BASED ON
 INLET AIR = 68°F
 DISCHARGE PRESSURE = 30" HG ABS.
 JULY, 1994

VACUUM PERFORMANCE
 FRAME 711 UNIVERSAL RAI BLOWER
 MAXIMUM VACUUM=16 IN. HG
 MAXIMUM SPEED=2050 RPM



DRESSER INDUSTRIES, INC.
 ROOTS DIVISION
 900 WEST MOUNT STREET
 CONNERSVILLE, INDIANA 47331
 PRINTED IN U.S.A.

PERFORMANCE BASED ON
 INLET AIR = 68°F
 DISCHARGE PRESSURE = 30" HG ABS.
 JULY, 1994

VACUUM PERFORMANCE
 FRAME 718 UNIVERSAL RAI BLOWER
 MAXIMUM VACUUM=12 IN. HG
 MAXIMUM SPEED=2050 RPM

